



SC-525NCN



FEATURES

- Digital Signal Processing (DSP)
- 1/3" Sony Ex-View Chipset
- 520TV Lines of Horizontal Resolution
- C & CS Selectable Lens Mount
- Dual Power AC/DC
- Backlight Compensation
- Lens not Included

SPECIFICATIONS

TV System:	NTSC, PAL
Image Sensor:	1/3 Ex-View Sony HAD IT CCD
Effective Pixels:	NTSC:768(H)X494(V), PAL:752(H)X582(V)
H. Resolution:	520 TV Lines internal
Sync. System:	Internal only
Scanning System:	NTSC:525 Lines, PAL:625 Lines, 2:1 Interlaced
Video Output:	1.0p-p Composite, 75 Ohms
S/N Ratio:	More than 48dB (AGC Off)
Min. Illumination:	STD:0.5 Lux at F1.2 or 0.3 Lux at F1.2
Shutter Speed:	NTSC:1/60-1/100,000 sec/PAL:1/50-1/100,000 sec
Gamma Correction:	Standard $\gamma = 0.45$, Switchable $\gamma = 1.0$ by Dip switch
Gain Control:	Standard: 8dB-30dB Auto, Maximum by Dip switch
Smart Effect:	0.005%
MTBF:	80,000 hours
Power Source:	DC12V or AC 24V / DC 12 V
Operating Current:	130mA 130mA, 82mA 20mA 150mA 150mA, 95mA 23mA
Iris Control:	Video Iris/ESC/DC Iris
Operating Temperature:	14° F ~ 122° F (-10° C ~ + 50° C)
Humidity:	Within 90% RH
Measurement(mm):	50WX50VX100L mm / 1.9WX1.9VX3.9L in
Weight:	0.190g / 0.419lb

Authorized Dealer: